


TORO COMPANY - IRRIGATION DIVISION

5825 JASMINE ST. RIVERSIDE, CA 92504

TOLL FREE: 1-877-345-8676

PHONE: (951) 785-3152 FAX: (951) 359-1870



- (2) CONTROL WIRES WITH 36" SERVICE COIL AND WATER PROOF WIRE CONNECTORS, DBY OR EQUAL.
- ③ RECTANGULAR PLASTIC VALVE BOX. HEAT BRAND STATION NUMBER ON LID IN 2" HIGH CHARACTERS.
- 4 PVC MAINLINE PER SPECIFICATIONS (LENGTH AS REQUIRED).
- (5) SCH 40 PVC ELL (SxS).
- (6) NATIVE SOIL PER SPECIFICATIONS.
- (7) CONTROL WIRES TO CONTROLLER.

- (8) PVC MAINLINE FITTING.
- 9 TORO EZF INLINE VALVE (*)
- (10) 1" TORO 150 MESH Y-FILTER (*)
- (11) 1" TORO 30 PSI PRESSURE REGULATOR (*)
- (12) SCH 40 PVC MALE ADAPTER TO PVC, OR 1" TO 3/4" REDUCER TO TLM75 TRI-LOC FITTING (INCLUDED) TO T-EHDI645-XXX HOSE.
- (13) PEA GRAVEL SUMP, MINIMUM 6" DEEP.
- (14) BRICK SUPPORTS (4 COMMON BRICKS REQUIRED).
- (15) SCH 40 PVC MALE ADAPTER.

NOTES:

- 1. LOCAL STAPLES ALONG TUBING AT 4'-6' ON CENTER AND AT ALL FITTINGS (TEES, ELLS, ETC.).
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
- 3. DO NOT SCALE DRAWING.
- 4. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS, AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 5. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.

TORO DRIP ZONE KIT

DZK-EZF

MINIMUM FLOW RATE: 0.1 GPM MAXIMUM FLOW RATE: 25 GPM

(8)