

TORO-IRRIGATION DIVISION 5825 JASMINE STREET RIVERSIDE, CA 92504 TOLL FREE: 1-877-345-8676 FAX: (951) 359-1870 crc@toro.com

LEGEND:

(1) TORO AUTOMATIC FLUSH VALVE (T-FCH-H-FIPT) PLUMBED TO FLUSH MANIFOLD AT LOW POINT.

www.toro.com

- (2) PVC FLUSH MANIFOLD.
- (3) TORO DRIP IN® 17MM DRIPLINE MANIFOLD-TO-ELBOW CONNECTION (TYP).
- (4) TORO TRI-LOC TEE (TL-T) OR I560-T INSERT TEE.
- (5) PERIMETER LATERALS 2" TO 4" FROM EDGE.
- (6) TORO DRIP IN® 17MM DRIPLINE LATERAL (PCB-XXX-XXX).
- (7) AREA PERIMETER.
- (8) PVC LATERAL LINE FROM DRIP ZONE KIT.
- (9) PVC SUPPLY MANIFOLD.
- (10) TORO DRIP IN® 17MM DRIPLINE MANIFOLD-TO-ELL CONNECTION.

NOTES:

- 1. THE TOTAL LENGTH OF ALL INTERCONNECTED DRIP LINE SHALL NOT EXCEED THE MAXIMUM RUN LENGTH. SEE TORO SUBSURFACE IRRIGATION DESIGN GUIDE (FORM #ALT111).
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.

PLAN NOT TO SCALE

- 3. DO NOT SCALE DRAWING.
- 4. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 5. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.



AAA-008-1 REVISION DATE 03/16/2020