





TORO-IRRIGATION DIVISION 5825 JASMINE STREET RIVERSIDE, CA 92504 TOLL FREE: 1-877-345-8676 FAX: (951) 359-1870 crc@toro.com www.toro.com

LEGEND:

- 1) PVC LATERAL LINE FROM DRIP ZONE KIT.
- (2) PVC SUPPLY MANIFOLD.
- (3) TORO DL2000 MANIFOLD-TO-ELBOW CONNECTION (TYP).
- (4) AIR/VACUUM RELIEF LATERAL, TORO BLUE STRIPE POLY TUBING (T-EHD1645-XXX) CENTERED ON MOUND OR BERM.
- (5) TORO AIR/VACUUM RELIEF VALVE (T-YD-500-34) PLUMBED TO TORO BLUE STRIPE POLY TUBING (T-EHD1645-XXX) AT EACH HIGH POINT.
- (6)BERM (TYP).
- (7) EDGE OF PLANTER.
- (8) PERIMETER LATERALS 2" TO 4" FROM EDGE.
- (9) TORO TRI-LOC TEE (TL-T).
- (1) TORO DL2000 OPERATION INDICATOR (T-DL-MP9), OPTIONAL.
- (1) TORO AUTOMATIC FLUSH VALVE (T-FCH-H-FIPT) PLUMBED TO FLUSH MANIFOLD AT LOW POINT.
- (12)PVC FLUSH MANIFOLD.
- (13) TORO DL2000 DRIPLINE LATERAL (RGP-XXX-XX).
- (14) FINISHED GRADE.

NOTES:

- 1. THE TOTAL LENGTH OF ALL INTERCONNECTED DRIP LINE SHALL NOT EXCEED THE MAXIMUM RUN LENGTH. SEE TORO SUBSURFACE IRRIGATION DESIGN GUIDE (FORM #ALT111).
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
- 3. DO NOT SCALE DRAWING.
- 4. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 5. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
- CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info AND ENTER REFERENCE NUMBER 065-188k.

